



**KENYA METEOROLOGICAL SERVICE  
DEKADAL AGROMETEOROLOGICAL BULLETIN**

**WEATHER AND CROP REVIEW FOR DEKAD 1, 2014  
1-10 JANUARY, 2014**

**1. HIGHLIGHTS ON RAINFALL AND TEMPERATURE**

Rainfall activities in the country decreased generally both in space and amount compared to the previous dekad. Nyanza region received the highest amount of rainfall countrywide with Suba recording 41.3mm. North Eastern and Nairobi regions continued being silent over the entire dekad as noted in the previous dekad. In Central region, Nyeri station recorded the highest amount of rainfall of 7.1mm. Narok station in Rift Valley region received the highest amount of rainfall of 5.2mm which was a significant decrease according to the previous dekad. In Eastern region, Meru station received the highest amount of rainfall of 4.0mm which was a decrease compared to the previous dekad. Coastal region had Voi station reporting the highest amount of rainfall of 2.0mm. While Kakamega station in Western region reported the highest amount of rainfall of 22.8mm which was a decrease from the previous dekad.

Generally, there was a significant increase in the maximum temperature over the whole country. The highest observed maximum temperature was 37.5°C at Wajir station. The minimum temperature decreased slightly in the whole country with Nyahururu station in Central region reporting the lowest of 8.0°C compared to the previous dekad where it recorded 8.6°C.

For a more comprehensive summary of rainfall and other meteorological parameters, see Figures 3.1 to 3.4 as shown below.

**2. CROP AND WEATHER REVIEW FOR DEKAD 1; 1-10 JANUARY 2014**

**2.1 NYANZA AND WESTERN REGIONS**

**2.1.1 Kakamega**

The station received rainfall amount of 22.8mm. The mean air temperature and pan evaporation were 21.2°C and 43.5mm respectively. The sunshine duration was 8.9hrs

*No phenological report*

**2.1.2 Kisii**

The station recorded rainfall of 15.8mm. The mean air temperature and sunshine duration were 20.9°C and 7.5 hours respectively. Pan evaporation was 32.8mm.

*Maize was at the maturity stage and in fair state with normal yield being expected*

## **2.2 RIFT VALLEY REGION**

### **2.2.1 Kitale**

The station received rainfall amount of 1.0mm. The average air temperature and pan Evaporation were 19.6°C and 42mm respectively. There was no report on sunshine duration.

*No phenological report.*

### **2.2.2 Eldoret-Kapsoya**

The station received rainfall amount of 1.7mm. The average air temperature and pan evaporation reported were 17.2°C and 61.6mm respectively. There was no report on sunshine duration.

*No phenological report.*

## **2.3 CENTRAL KENYA HIGHLANDS AND NAIROBI AREA REGION**

### **2.3.1 Nyeri**

The station received rainfall amount of 7.1mm. The average air temperature was 17.9°C. There was no report on pan evaporation and sunshine parameters.

*Maize crop was in the ninth leaf stage while beans were at flowering stage and both crops were in fair state.*

### **2.3.2 Kabete**

The station did not record any rainfall in the dekad as it happened the previous one. The average air temperature recorded was 19.0°C. There was no report on sunshine duration.

*Maize was in emergence stage and beans were in flowering stage and both crops were in a fair state.*

### **2.3.3 Thika**

The station did not record any rainfall in the dekad. The mean air temperature and pan evaporation recorded were 20.2°C and 47.5mm respectively. No report on sunshine duration.

*Maize was at emergence stage and in poor state while beans and potatoes were both at flowering stage and in poor state due to insufficient rain. Below normal yield in all crops is expected.*

### **2.3.4. Nyahururu**

The station only recorded a trace of rainfall in the dekad. The mean air temperature and pan evaporation recorded were 14.9°C and 48mm respectively. There was no report on sunshine duration.

*Maize was at harvest stage and in a fair state while potatoes were at maturity stage and in failure state due to frost. Normal yield is expected for maize while potatoes below normal.*

### **2.3.5. Dagoretti**

The station did not report any rainfall in the dekad. The average air temperature and Pan Evaporation were 19.3°C and 55mm respectively. The sunshine duration was 10.2hrs.

*Maize was at tussling stage while beans were at flowering stage. Both crops were doing well but in provable danger of drought.*

## **2.4 EASTERN KENYA REGION**

### **2.4.1 Meru**

The station recorded rainfall amounts of 4.0mm. The average air temperature and Pan Evaporation were 18.0°C and 36.5mm respectively. The sunshine duration was 8.5hrs.

*Maize and beans were at flowering and maturity stage respectively. Both crops were in fair state.*

### **2.4.2 Embu**

The station did not report any rainfall in the dekad there was no report on Temperature, Pan Evaporation Sunshine duration.

*Both maize and beans were at flowering stage and in poor state as they had been adversely affected by insufficient rain. Below normal yield is expected for both crops.*

### **2.4.3 Katumani (Machakos)**

The station recorded no rainfall at all. The average air temperature and sunshine duration reported were 19.6°C and 8.7hrs. There was no report on and pan evaporation.

*Maize and beans were at flowering stages and in poor state due to too much sun. Below normal yield is expected for both crops.*

## **2.5. COASTAL REGION**

### **2.5.1 Msabaha**

The station received rainfall amount of 0.3mm. The average air temperature and pan evaporation recorded was 28.1°C and 53.3mm respectively. There was no report on sunshine duration.

*Maize is at flowering stage and in poor state due to insufficient rainfall with below normal yield being expected. Mangoes were at 100% fruit setting stage and in good state.*

### **2.5.2 Mtwapa**

The station received no rainfall at all. The average air temperature was 27.5°C. There was no report on sunshine duration and Pan Evaporation.

*Maize was at flowering stage and in a poor state as it had been adversely affected by insufficient rainfall and below normal yield is expected.*

### 3.0 ANALYSIS OF RAINFALL, TEMPERATURE AND VEGETATION CONDITIONS




Figure 3.1: Dekadal rainfall totals for 1<sup>st</sup> to 10<sup>th</sup> January 2014




Figure 3.2: Dekadal rainfall distribution for dekad 1, 2014




Figure 3.3: Maximum, Minimum and Average temperature in °C for dekad 1, 2014




Figure 3.4: Mean temperature distribution for dekad 1, 2014




Figure 3.5: Normalized Difference Vegetation Index (NDVI)

#### 4. EXPECTED WEATHER AND CROP CONDITIONS DURING THE NEXT 10 DAYS; 11-20 JANUARY 2014

- ❖ Counties within the Lake Victoria Basin, Highlands west of the Rift Valley, Nyamira, Kericho, Bomet, Uasin-Gishu, Nakuru, Narok, Trans Nzoia, Elgeyo Marakwet, Nandi, Laikipia, Kajiado, Vihiga and Busia), are expected to experience sunny intervals in the morning through the forecast period. Showers and thunderstorms are likely in afternoons over few places in the entire forecast period.

*The afternoon showers are expected to flourish the state of crops in the region*

- ❖ **Over the Northwestern counties (Turkana, West Pokot and Samburu),** are expected to experience sunny intervals throughout the forecast period.

*The dry period is expected to deteriorate the state of pasture and vegetation conditions in these counties.*

- ❖ **The Central highlands including Nairobi area (counties of Meru, Murang'a, Kiambu, Nyeri, Nairobi, Embu, Nyandarua, Tharaka and Kirinyaga),** are expected to experience mainly sunny intervals throughout the forecast period. Occasional afternoon/evening showers over few places are expected during the last three days.

*The expected showers will improve the state of the crops in the region.*

- ❖ **Northeastern counties (counties of Marsabit, Mandera, Wajir, Garissa and Isiolo),** are expected to experience sunny intervals throughout the forecast period.

*The dry conditions widespread over dekads are expected to worsen the state of pasture and vegetation in these counties.*

- ❖ **Southeastern lowlands (counties of Taita Taveta, Makueni, Machakos and Kitui),** are expected to experience sunny intervals during the morning section of the forecast period, the last three days are expected to experience afternoon/evening showers.

*The dry condition forecasted will deteriorate the state of crops, pasture and vegetation in the region.*

**In the Coastal strip (counties of Mombasa, Malindi, Kilifi, Lamu, Kwale, etc),** are expected to experience sunny intervals throughout the forecast period.

*The sunny interval is expected to worsen the state of the crops in the region.*

---

***For feedback or further guidance, Contact:***

Director,  
Kenya Meteorological Services,  
Agro meteorological Advisory Services Division,  
Dagoretti Corner, Ngong Road, P.O. Box 30259, 00100 GPO, Nairobi  
Tel: +254 (0)20 3867880-7/3876957/3873682; Fax: +254 (0)20 3876955  
E-mail: [agromet@meteo.go.ke](mailto:agromet@meteo.go.ke);  
Website: [www.meteo.go.ke](http://www.meteo.go.ke)

©2014 The Kenya Meteorological Services